



PRODUCT CATALOGUE



2024-25

ABOUT US

JAY CHAMUND RAILING SYSTEM has been An Innovative And Professional Company Engaged In Research, Manufacture And Marketing Of Fittings For Railing Systems, Architectural Railing Hardware Accessories.

JAY CHAMUND RAILING SYSTEM Provides Railing Fittings of high quality And Provides Consulting Services To The Architectural Industries.

Our Goal Is To Increase The Value Of Buildings And To Enhance The Living And Working Environment Of People Worldwide. We Achieve This Together With Our Dealers, Distributer, Channel Partners By Providing Innovative And Sustainable Architectural Solutions For The Building Envelope.



Experience unparalleled speed with us. Swiftly delivering top-notch aluminum railings for your projects, ensuring efficiency and reliability every time.



"Our success is measured by your satisfaction" we're committed to exceeding your expectations every step of the way.



Our extensive distributorship network spans far and wide, ensuring our products reach you wherever you are, with reliability and ease



When it's uniqueness you seek, look no further. Our quality embodies the extraordinary, delivering excellence in every aspect




STEP BRACKET & COVER



ESSENTIAL DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : Step Bracket (65mm)
Step Cover (13 Feet / 16 Feet)
- **Weight** : Step Bracket (Approx. 0.460 kg / Nos.)
Step Cover (Approx. 0.200-0.220 kg)(1 Feet / 1 Side)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			
Bracket Will Be Fitted At Every 2 Feet					

MODULAR STEP BRACKET & COVER



ESSENTIAL DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : **Modular Step Bracket** (65mm)
Modular Cover (13 Feet / 16 Feet)
- **Weight** : **Modular Step Bracket** (Approx. 0.340 kg / Nos.)
Modular Cover (Approx. 0.160-0.180 kg)(1 Feet / 1 Side)
EPDM Gasket (Approx. 0.018 kg) (1 Feet / Side)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		
Bracket Will Be Fitted At Every 2 Feet					

SQUARE BRACKET & COVER



ESSENTIAL DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : **Square Bracket** (65mm)
Square Cover (13 Feet / 16 Feet)
- **Weight** : **Square Bracket** (Approx. 0.250 kg / Nos.)
Square Cover (Approx. 0.160-0.180 kg)(1 Feet / 1 Side)
EPDM Gasket (Approx. 0.016 kg) (1 Feet / Side)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP


SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			
Bracket Will Be Fitted At Every 2 Feet					

HEAVY ROUND BRACKET & COVER



ESSENTIAL DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : **Heavy Round Bracket** (65mm)
Heavy Round Cover (13 Feet / 16 Feet)
- **Weight** : **Heavy Round Bracket** (Approx. 0.480 kg / Nos.)
Heavy Round Cover (Approx. 0.220-0.240 kg)(1 Feet / 1 Side)
EPDM Gasket (Approx. 0.016 kg) (1 Feet / Side)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓	✓	
	Bracket Will Be Fitted At Every 2 Feet				

HEAVY SQUARE BRACKET & COVER



ESSENTIAL DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : **Heavy Square Bracket** (65mm)
Heavy Square Cover (13 Feet / 16 Feet)
- **Weight** : **Heavy Square Bracket** (Approx. 0.480 kg / Nos.)
Heavy Square Cover (Approx. 0.200-0.220 kg) (1 Feet / 1 Side)
EPDM Gasket (Approx. 0.016 kg) (1 Feet / Side)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety




Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓	✓	
Bracket Will Be Fitted At Every 2 Feet					

HEAVY BRACKET & COVER



ESSENTIAL DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : **Heavy Bracket** (65mm)
Heavy Cover (13 Feet / 16 Feet)
- **Weight** : **Heavy Bracket** (Approx. 0.680 kg / Nos.)
Heavy Square Cover (Approx. 0.350-0.80 kg)(1 Feet / 1 Side)
EPDM Gasket (Approx. 0.013 kg) (1 Feet / Side)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	✓
	42 inch	✓	✓	✓	✓
Bracket Will Be Fitted At Every 2 Feet					

ANONYMOUS (I) BRACKET & COVER



ESSENTIAL DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : **Heavy Bracket** (65mm)
Heavy Cover (13 Feet / 16 Feet)
- **Weight** : **Heavy Bracket** (Approx. 0.240 kg / Nos.)
Heavy Square Cover (Approx. 0.180-0.200 kg)(1 Feet / 1 Side)
EPDM Gasket (Approx. 0.016 kg) (1 Feet / Side)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating




END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety




Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			
Bracket Will Be Fitted At Every 2 Feet					

ANONYMOUS (2) BRACKET & COVER



ESSENTIAL DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : **Heavy Bracket** (65mm)
Heavy Cover (13 Feet / 16 Feet)
- **Weight** : **Heavy Bracket** (Approx. 0.240 kg / Nos.)
Heavy Square Cover (Approx. 0.170-0.190 kg)(1 Feet / 1 Side)
EPDM Gasket (Approx. 0.016 kg) (1 Feet / Side)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating




END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety




Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			
Bracket Will Be Fitted At Every 2 Feet					

40 X 30 CONTINUOUS CHANNEL



ESSENTIAL DETAILS

- **Type** : Continuius Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx. 0.400-0.440 kg / Feet
EPDM Gasket (Approx. 0.058 kg/Feet)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommanded Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓		
	36 inch	✓			
	42 inch				
Bracket Will Be Fitted At Every 2 Feet					

58 X 32 CONTINUOUS CHANNEL




ESSENTIAL DETAILS

- **Type** : Continuius Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx. 0.600-0.640 kg / Feet
EPDM Gasket (Approx. 0.110 kg/Feet)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP



Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommanded Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓		
	36 inch	✓	✓		
	42 inch				
Bracket Will Be Fitted At Every 2 Feet					

80 X 37 CONTINUOUS CHANNEL




ESSENTIAL DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx. 0.900-0.950 kg / Feet
EPDM Gasket (Approx. 0.110 kg/Feet)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP



Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		
Bracket Will Be Fitted At Every 2 Feet					

100 X 37 CONTINUOUS CHANNEL




ESSENTIAL DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx. 1.100-1.160 kg / Feet
EPDM Gasket (Approx. 0.110 kg/Feet)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP




Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		
Bracket Will Be Fitted At Every 2 Feet					

115 X 41 CONTINUOUS CHANNEL




ESSENTIAL DETAILS

- **Type** : Continuius Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 12 Feet / 13 Feet
- **Weight** : Approx. 1.400-1.470 kg / Feet
EPDM Gasket (Approx. 0.145 kg/Feet)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP



Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommanded Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	✓
	42 inch	✓	✓	✓	
Bracket Will Be Fitted At Every 2 Feet					

117 X 45 CONTINUOUS CHANNEL



ESSENTIAL DETAILS

- **Type** : Continuius Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 12 Feet / 13 Feet
- **Weight** : Approx. 1,400-1,470 kg / Feet
EPDM Gasket (Approx. 0.105 kg/Feet)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommanded Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	✓
	42 inch	✓	✓	✓	
Bracket Will Be Fitted At Every 2 Feet					

50 X 90 CONTINUOUS CHANNEL



ESSENTIAL DETAILS

- **Type** : Continuius Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx. 0.900-0.950 kg / Feet
EPDM Gasket (Approx. 0.105 kg/Feet)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		
	Bracket Will Be Fitted At Every 2 Feet				

50 X 90 CONTINUOUS CHANNEL




ESSENTIAL DETAILS

- **Type** : Continuius Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx. 0.900-0.950 kg / Feet
EPDM Gasket (Approx. 0.105 kg/Feet)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP




Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety

Recommanded Railing Length Chart


		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		
Bracket Will Be Fitted At Every 2 Feet					

COMMERCIAL FERI



ESSENTIAL DETAILS

- **Type** : Continuius Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx. 0.500-0.530 kg / Feet
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommanded Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	
	30 inch	✓	✓		
	36 inch	✓			
	42 inch				
Bracket Will Be Fitted At Every 2 Feet					

MODULAR FERI




ESSENTIAL DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx. 0.600-0.640 kg / Feet
EPDM Gasket (Approx. 0.090 kg/Feet)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP



Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety

Recommended Railing Length Chart


		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			
		Bracket Will Be Fitted At Every 2 Feet			

TRIANGLE FERI



ESSENTIAL DETAILS

- **Type** : Continuius Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx. 0.600-0.640 kg / Feet
EPDM Gasket (Approx. 0.105 kg/Feet)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommanded Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			
Bracket Will Be Fitted At Every 2 Feet					

REGULAR FERI



ESSENTIAL DETAILS

- **Type** : Continuius Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx. 0.720-0.780 kg / Feet
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP


SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommanded Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			
Bracket Will Be Fitted At Every 2 Feet					

CLIP FERI



ESSENTIAL DETAILS

- **Type** : Continuius Profile System
 - **Use** : Indoor & Outdoor
 - **Material** : Aluminium Alloy 6063-T6
 - **Length** : 13 Feet / 16 Feet
 - **Weight** : Approx. 0.850-0.900 kg / Feet
 - **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating
- EPDM Gasket (Approx. 0.016 kg/Feet)



END CAP

SLOTTED END CAP

Features :


- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety

Recommanded Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		
Bracket Will Be Fitted At Every 2 Feet					

120 X 60 CONTINUOUS CHANNEL




JAY
CHAMUNDA®
RAILING SYSTEM



ESSENTIAL DETAILS

- **Type** : Continuius Profile System
 - **Use** : Indoor & Outdoor
 - **Material** : Aluminium Alloy 6063-T6
 - **Length** : 13 Feet / 16 Feet
 - **Weight** : Approx. 1.400-1.470 kg / Feet
 - **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating
- EPDM Gasket (Approx. 0.105 kg/Feet)



END CAP

SLOTTED END CAP



Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety

Recommended Railing Length Chart


		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	✓
	42 inch	✓	✓	✓	✓
Bracket Will Be Fitted At Every 2 Feet					

125X 70 CONTINUOUS CHANNEL




ESSENTIAL DETAILS

- **Type** : Continuius Profile System
 - **Use** : Indoor & Outdoor
 - **Material** : Aluminium Alloy 6063-T6
 - **Length** : 13 Feet / 16 Feet
 - **Weight** : Approx. 1.750-1.820 kg / Feet
 - **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating
- EPDM Gasket (Approx. 0.105 kg/Feet)



END CAP

SLOTTED END CAP



Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety

Recommanded Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		
Bracket Will Be Fitted At Every 2 Feet					

L - BRACKET




**JAY
CHAMUNDA®**
RAILING SYSTEM



ESSENTIAL DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : Bracket (65mm)
- **Weight** : Bracket (Approx. 0.0460 kg/Nos)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			
Bracket Will Be Fitted At Every 2 Feet					

T - BRACKET




**JAY
CHAMUNDA®**
RAILING SYSTEM



ESSENTIAL DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : Bracket (65mm)
- **Weight** : Bracket (Approx. 0.0440 kg/Nos)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety

Recommended Railing Length Chart


		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			
Bracket Will Be Fitted At Every 2 Feet					

TOWER BRACKET



ESSENTIAL DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : Bracket (50mm)
- **Weight** : Bracket (Approx. 0.0310 kg/Nos)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			
Bracket Will Be Fitted At Every 2 Feet					

V - BRACKET




**JAY
CHAMUNDA®**
RAILING SYSTEM



ESSENTIAL DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : Bracket (50mm)
- **Weight** : Bracket (Approx. 0.430 kg/Nos)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety

Recommended Railing Length Chart


		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			
Bracket Will Be Fitted At Every 2 Feet					

RADIUS BRACKET



ESSENTIAL DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : Bracket (50mm)
- **Weight** : Bracket (Approx. 0.460 kg/Nos)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



END CAP

SLOTTED END CAP

Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Exact Installation
- Light Weight
- Robust for higher safety


Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			
		Bracket Will Be Fitted At Every 2 Feet			

RAILING SPIGOT



LRB 29



50 X 36 SPIGOT

ESSENTIAL DETAILS


- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Height** : 10 Inch & 5 Inch
- **Weight** : Spigot 5 Inch (0.480 kg / Nos.)
: Spigot 10 Inch (0.980 kg / Nos.)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating

50MM ROUND SPIGOT

LRB 30

ESSENTIAL DETAILS


- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Height** : 10 Inch & 5 Inch
- **Weight** : Spigot 5 Inch (0.550 kg / Nos.)
: Spigot 10 Inch (1.100 kg / Nos.)
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating



RAILING SPIGOT



LRB 31



HEXAGON SPIGOT

ESSENTIAL DETAILS



- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Height** : 10 Inch & 5 Inch
- **Weight** : Spigot 5 Inch (0.480 kg / Nos.)
: Spigot 10 Inch (0.980 kg / Nos.)
- **Finish** : Natural
Powder Coating
Wooden Coating
PVDF Coating

PYRAMID BRACKET

LRB 32

ESSENTIAL DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Length** : 65 mm
- **Finish** : Natural
Anodized
Powder Coating
Wooden Coating
PVDF Coating




HANDRAIL & ACCESSORIES



38MM ROUND

LRH 01



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 feet and 16 feet
- **Weight** : 0.170kg -0.190kg(1 feet)
EPDM Gesker (Approx. 0.065 kg/Feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALERT



CONNECTOR*




ELBOW*



END CAP*

50MM ROUND

LRH 02



ESSENTIAL DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 feet and 16 feet
- **Weight** : 0.260kg -0.290kg(1 feet)
EPDM Gesker (Approx. 0.085 kg/Feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALERT



CONNECTOR*



ELBOW*



END CAP*


*** ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES



65MM ROUND

LRH 03



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 feet and 16 feet
- **Weight** : 0.420kg -0.460kg(1 feet)
EPDM Gesker (Approx. 0.090 kg/Feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALERT



CONNECTOR*




ELBOW*



END CAP*

25X25MM SQUARE

LRH 04



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 feet and 16 feet
- **Weight** : 0.19kg
EPDM Gesker (Approx. 0.055 kg/Feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALERT



CONNECTOR*



ELBOW*



END CAP*


*** ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES



40X40MM SQUARE

LRH 05



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.090 kg/Feet)
- **Weight** : 0.260kg -0.290kg(1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALERT



CONNECTOR*




ELBOW*



END CAP*

50X50MM SQUARE

LRH 06



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.090 kg/Feet)
- **Weight** : 0.360kg - 0.400kg(1 kg)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALERT



CONNECTOR*



ELBOW*



END CAP*


*** ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES



2 SIDE LED

LRH 05



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.085 kg/Feet)
- **Weight** : 0.340kg -0.380kg(1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALERT



CONNECTOR*




ELBOW*



END CAP*

70X30(WITHOUT 2 SIDE LED)

LRH 06



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.085 kg/Feet)
- **Weight** : 0.320kg - 0.360kg(1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALERT



CONNECTOR*



ELBOW*



END CAP*


*** ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES



COMMERCIAL

LRH 09



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
- **Weight** : 0.220kg -0.250kg(1 feet)
- **Finish** : Natural Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALED



CONNECTOR*




ELBOW*



END CAP*

50X40

LRH 10



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.085 kg/Feet)
- **Weight** : 0.250kg - 0.280kg(1 feet)
- **Finish** : Natural Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALERT



CONNECTOR*



ELBOW*



END CAP*


ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES





60X40

LRH 11




ESSENTIAL DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gasket (Approx. 0.085 kg/Feet)
- **Weight** : 0.380kg -0.420kg(1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating




70X35 (WITHOUT I SIDE LED)

LRH 12



ESSENTIAL DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gasket (Approx. 0.070 kg/Feet)
- **Weight** : 0.360kg - 0.400kg(1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.


HANDRAIL & ACCESSORIES



1 SIDE LED



LRH 13



ESSENTIAL DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gasket (Approx. 0.070 kg/Feet)
- **Weight** : 0.360kg -0.400kg(1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALED



CONNECTOR*



ELBOW*




END CAP*

DIAMOND



LRH 14



ESSENTIAL DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.085 kg/Feet)
- **Weight** : 0.360kg - 0.400kg(1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALERT



CONNECTOR*



ELBOW*




END CAP*

ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES



EYES



ESSENTIAL DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gasket (Approx. 0.085 kg/Feet)
- **Weight** : 0.300kg -0.330kg(1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



INCLINE



ESSENTIAL DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gasket (Approx. 0.070 kg/Feet)
- **Weight** : 0.340kg - 0.380kg(1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating




ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES




INCLINE LED

LRH 17



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.070 kg/Feet)
- **Weight** : 0.400gm(1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALED



CONNECTOR*




ELBOW*



END CAP*

17X19 SLIM

LRH 18




ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
- **Weight** : 0.110kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALED



CONNECTOR*



ELBOW*


ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES



SAMLL RIGHTANGLE

LRH 19




ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.055 kg/Feet)
- **Weight** : 0.220gm - 0.250kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALED



CONNECTOR*




ELBOW *



END CAP*

RIGHT ANGLE

LRH 20



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.090 kg/Feet)
- **Weight** : 0.400kg - 0.440kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALED



CONNECTOR*



ELBOW *



END CAP*


ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES



TRIANGLE

LRH 21



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.085 kg/Feet)
- **Weight** : 0.300KG - 0.330kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALED



CONNECTOR*




ELBOW *



END CAP*

CRYSTAL DIAMOND

LRH 22



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.085 kg/Feet)
- **Weight** : 0.300 kg - 0.330kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALED



CONNECTOR*



ELBOW *



END CAP*


ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES



FLOWER

LRH 23



ESSENTIAL DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gasket (Approx. 0.085 kg/Feet)
- **Weight** : 0.320kg -0.350kg(1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALED



CONNECTOR*




ELBOW*



END CAP*

CAPSULE

LRH 24




ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gasket (Approx. 0.070 kg/Feet)
- **Weight** : 0.320kg - 0.350kg(1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating




WALL CONCEALMENT



CONNECTOR*



ELBOW*



END CAP*


ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES



38 X 38 OCTAGON

LRH 25




ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.075 kg/Feet)
- **Weight** : 0.220KG - 0.250kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating




WALL CONCEALED



CONNECTOR*





ELBOW*



END CAP*

45 X 45 OCTAGON

LRH 26




ESSENTIAL DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
EPDM Gesker (Approx. 0.085 kg/Feet)
- **Weight** : 0.260 kg - 0.290kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



WALL CONCEALED



CONNECTOR*



ELBOW*



END CAP*


ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES



38MM ROUND PLAIN

LRH 27



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
- **Weight** : 0.130KG - 0.150kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



MODULAR ELBOW*

50MM ROUND PLAIN

LRH 28



ESSENTIAL DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
- **Weight** : 0.180KG - 0.210kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



MODULAR ELBOW*


ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES




40 X 40 SQUARE PLAIN

LRH 29



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
- **Weight** : 0.180KG - 0.210kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



MODULAR ELBOW*


50 X 50 SQUARE PLAIN

LRH 30



ESSENTIAL DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
- **Weight** : 0.210KG - 0.230kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



MODULAR ELBOW*


ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

HANDRAIL & ACCESSORIES




38 X 38 OCTAGON PLAIN

LRH 31



ESSENTIAL DETAILS


- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
- **Weight** : 0.150KG - 0.170kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



MODULAR ELBOW*


45 X 45 OCTAGON PLAIN

LRH 32



ESSENTIAL DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Height** : 13 feet and 16 feet
- **Weight** : 0.190KG - 0.290kg (1 feet)
- **Finish** : Natural
Anodizing***
Powder Coating
Wooden Coating
PVDF Coating



MODULAR ELBOW*

ANODIZED FINISH IS NOT AVAILABLE ON CONNECTOR, ELBOW AND END CAP ACCESSORIES.

L-CONNECTOR FOR PLAIN HANDRAIL



Elevate your space with our cutting-edge staircase railing spigots. Combining exquisite design and unmatched durability, they redefine elegance. Achieve safety without sacrificing style. Join those who've chosen innovation. Make a bold statement with our premium spigots and leave a lasting impression in your space.

LRHA 01



LRHA 02



LRHA 03



LRHA 04



L-CONNECTOR FOR WALL MOUNT




Elevate your space with our cutting-edge staircase railing spigots. Combining exquisite design and unmatched durability, they redefine elegance. Achieve safety without sacrificing style. Join those who've chosen innovation. Make a bold statement with our premium spigots and leave a lasting impression in your space.

LRHA 05




1.

LRHA 06



2.

LRHA 07



3.

LRHA 08



4.

GLASS TO GLASS CONNECTOR



LRHA 05



LRHA 06



STRAIGHT CONNECTOR

L-CONNECTOR

PIPE TO PIPE CONNECTOR

LRHA 07



LRHA 08



STRAIGHT CONNECTOR PATTI

L-CONNECTOR PATTI

ANCHOR

01 10 X 100 RCC PVC Wall Plug Screw Anchor

02 12.5 X 100 Steel Adhesive Anchor


03 12.5 X 75 Steel Adhesive Anchor

04 10 X 75 Steel Adhesive Anchor


01




02



03



04



INSTRUMENTS & ADHESIVE



SPIRIT LEVEL



HAND DRILL



MEASURE TAPE



ALLEN KEY SET



RIVET GUN



MALLET

INSTRUMENTS



SILICON GUN



ADHESIVE GUN



CUTTER



SAW BLADE



ADHESIVE FOR JOINT



ADHESIVE FOR ANCHOR



PACKAGING



6 IN X 6 IN BAMBOO

AVAILABLE LENGTH



- 13 Feet
- 16 Feet



4 IN X 4 IN BAMBOO

AVAILABLE LENGTH

- 13 Feet
- 16 Feet



COPYRIGHT DISCLAIMER:

JAY CHAMUNDA RAILING SYSTEM respects the intellectual property rights of others and we expect our customers to do the same. The product catalog and all its content, including but not limited to images, text, and designs, are the exclusive property of **JAY CHAMUNDA RAILING SYSTEM** and are protected by applicable copyright laws.

All rights to the content within this catalog are reserved, and no part of it may be reproduced, distributed, or used in any form without prior written permission from **JAY CHAMUNDA RAILING SYSTEM**. Unauthorized use of our copyrighted materials may result in legal action.

If you believe that your intellectual property rights have been violated in any way by the content in this catalog, please contact us immediately, and we will take appropriate action to address your concerns

Thank you for choosing LIVA RAILING products and for respecting our copyright policies..

TERMS AND CONDITION :

- 1) Payment Terms Payment 100% Advance Against Performa Invoice.
- 2) All Government Taxes Will Applied Extra.
- 3) Delivery Time Will Be 5-6 Days After Placing Order.
- 4) Once The Order Will Place Or Confirmed It May Not Ne Changed Or Cancel.
- 5) Our Risk And Responsibility Ceases As Soon As The Goods Leave Pur Premises.
- 6) We Are Not Being Responsible For Any Damage/Breakage Of Material During Transportation.
- 7) Subject To Rajkot Jurisdiction Only.

